





WALL TYPE LEGEND

150mm THICK CONCRETE (AFS). INTERNAL WALL DIRECT

2 LAYERS 90mm THICK MASONRY WALL WITH 10mm CAVITY

150mm THICK CONCRETE, WALL WRAP, 20mm AIR GAP, 92mm STEEL STUD WITH ROCKWOOL INSULATION, 10mm GYPROCK

10mm GYPROCK, 76mm STEEL STUD, 75mm ACOUSTIGARD

RW50 (RW50+DISCONTINUOUS CONSTRUCTION AT LIFT)

10mm GYPROCK, 76mm STEEL STUD, 75mm ACOUSTIGARD

1 LAYER 13mm PLASTERBOARD, 76mm STEEL STUD, 75mm

BRADFORD GLASSWOOL PARTITION BATTS / 50mm GLASSWOOL,

RW+CTR NOT LESS THAN 40 HABITABLE ROOMS. 25 TO NON

2 LAYERS 13mm AQUACHEK (OR SIM), 76mm STEEL STUD, 75mm

ACOUSTIGARD 14kg/m3 INSULATION. PIPEWORK TO BE REHAU RUPIANO PLUS, OR LAGGED WITH 25mm GLASSWOOL 4.5kg/m2

REFER TO STRUCTURAL ENGINEERS DRAWINGS FOR FURTHER INFORMATION.

REFER TO RELEVANT ENGINEERS DRAWINGS FOR RISER INFORMATION

14kg/m3, INSULATION, 20mm AIR GAP, 150mm CONCRETE WALL

PARTY WALL BETWEEN APARTMENT AND CORRIDOR

14kg/m3, INSULATION, 20mm AIR GAP, 150mm CONCRETE WALL,

20mm AIR GAP, 76mm STEEL STUD, 75mm ACOUSTIGARD 14kg/m3,

TOTAL R2.8 REQUIRED TO EXTERNAL WALLS

STICK 10mm GYPROCK REFER TO ENG. DRAWING

NON LOAD BEARING

EXTERNAL WT3 (272mm THICK)

APARTMENT WT4 (362mm THICK)

APARTMENT WT5 (256mm THICK)

CORRIDOR

FIRE WALL FRL 120/120/120

RW+CTR 50 APARTMENT PARTY WALL BETWEEN APARTMENTS

INSULATION, 10mm GYPROCK

FIRE WALL FRL 120/120/120

TOTAL R1.8 REQUIRED

WALLS TO CORRIDOR 150mm THICK CONCRETE (AFS)

REFER TO ENG. DRAWING

INTERNAL TENANCY WALL

1 LAYER 13mm PLASTERBOARD

TO SERVICE DUCTS / RISERS

GYPROCK SHAFTWALL SYSTEM

HABITABLE ROOMS

PYROTEK 4525C OR SIM

ALL PARTY WALLS TO EXTEND TO ROOF OR SLAB OVER

AQUACHEK OR SIMILAR IN WET AREAS

(AQUACHEK OR SIMILAR IN WET AREAS)

(13mm IMPACTCHEK TO UNITS 1, 2 AND 3)



GROUND FLOOR PLAN - PART

Nicheliving_® construction

FAX: 08 9483 0090

www.nicheliving.com.au

180 Newcastle Street,

Perth WA 6000

DATE REV AMENDMENT 17.05.19 23.05.19 30.05.19 ISSUED FOR REVIEW ISSUED FOR DA APPROVAL RE ISSUED FOR DA APPROVAL 04.06.19 ISSUED FOR DA APPROVAL AMEND CAR BAYS AND BIN STORE. ADJUST APARTMENT LAYOUTS 20.06.19 05.02.20 ISSUED FOR DFES SUBMISSION 20.03.20 ISSUED FOR BUILDING PERMIT 01.05.20 ISSUED FOR CONSTRUCTION STORE 13 DOOR LABELED. PHONE BOOTH NOTE UPDATED 22.05.20 02.06.20 03 REVISED LEVELS

DATE REV AMENDMENT REVISED OPENINGS AND COL SETOUT TO REFLECT REV STRUCTURE 05.07.20 REVISED LEVELS ADD IN GAS METER ENCLOSURES 08.07.20 20.08.20

FENCE AMENDEMENTS

03.05.21

18/01/22

ELEC RISER SHOWN REVISE UNITS 1, 2 & 3 WALL TYPES ADJUST BATHROOM DUCT WALL & DOOR WIDTHS

DATE REV AMENDMENT

MIXED USE DEVELOPMENT LOT 403 CNR GERARD ST AND CAMPBELL ST EAST CANNINGTON DO NOT SCALE - IF IN DOUBT, ASK. ALL DIMENSIONS IN MILLIMETERS. VERIFY ALL SETOUTS ON SITE BEFORE COMMENCING ANY WORKS. IT IS AN INFRINGEMENT OF COPYRIGHT IN THIS DRAWING AND DESIGN TO COPY OR COMMUNICATE ITS CONTENTS TO ANY THIRD PARTY WITHOUT WRITTEN CONSENT OF NICHE LIVING LOT 403 - GROUND FLOOR PLAN

REFER TO HYDRAULIC DRAWINGS

REFER TO STRUCTURAL ENG. DRAWINGS FIRE HOSE REEL IN EXPOSED CABINET GLAVINS ITEM 381905 OR SIMILAR

PROJECT DATE NOVEMBER 2018 DWG No NL_EC 10 PROJECT No 1:100 @ A1

ISSUE FOR CONSTRUCTION